

TEST REPORT

Applicant: Haining Boyumutong Decoration Material Co., Ltd.
Address: No.238 west Qianjiang Road, Haining, Zhejiang, China

The following sample(s) was/were submitted and identified on behalf of the client as:

Sample name: PVC FLOOR TILE
Model No./ Material: /
Number of sample: 1pc
Sample Received: 2019-11-19
Testing Period: 2019-11-19~2019-11-20

Test project: UV aging test
Test standard: According to client's requirements.

Test results: Please refer to next page(s)

Wrote by: _____

Momo Li

Reviewed by: _____

June

Approved by: _____

Wetow Huang

Date: _____

2019-11-26

Authorized signatory: Wetow Huang

Shenzhen NTEK Testing Technology Co., Ltd.

Address: 1/F, Building E, Fenda Science Park, Sanwei Community, Xixiang Street, Bao'an District, Shenzhen P.R. China.

Tel: (86)-0755-61156588 Fax: (86)-0755-61156599 Http: www.ntek.org.cn

Complaint call: (+86)0755-61156566. Complaint mailbox: complaint@ntek.org.cn

1. Test item: UV aging test**1.1 Test equipment(s)**

Name	Model	Calibration date
UV weather tester	HY-110B	2018-07-24

1.2 Environmental condition(s)

Temperature: 23.5℃

Humidity: 51%RH

1.3 Test standard

According to client's requirements.

1.4 Test condition(s)

1) UV lamp model: Type IA (UVA-340);




2) Test parameters:

Status	Exposure period (h)	Irradiance (w/m ²)	Black mark temperature (℃)	Relative humidity (%)
Dry	8	0.89	60	No control
Condensation	4	Turn off the light	50	No control
Note: 1 cycle in total, 12h.				

1.5 Test Result(s)

Sample No.	Test result (Visual Inspection)	Criterion	Conclusion
191111009-005	After the test, the sample showed no obvious abnormalities such as cracking, powdering, foaming, peeling, and spots.	After the test, the sample showed no unacceptable anomalies such as cracking, powdering, foaming, peeling, and spots.	Pass
Note: The Criterion provided by client.			

1.6 Test photo(s)

	
Before test (191111009-005)	Testing (191111009-005)
	/
After test (191111009-005)	/

****End of Report****

The test report is effective only with both signature and specialized stamp, The result(s) shown in this report refer only to the sample(s) tested. Without written approval of NTEK, this report can't be reproduced except in full. The test results or data in this report will be used only for education, scientific research, enterprise product development and internal quality control or other purposes.